


CAJ 1




KEY-PLAN BLDG. 2

EAST

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

725



B - BLDG. 1 1^{ST.} FL.

A - BLDG. 2 1^{ST.} FL.


DIMENSIONS APPROXIMATE

Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit.

B-K-REVERSED-BLDG.2 1ST-21ST FL.


E-BLDG.1 1ST-21ST FL.

B-REVERSED-BLDG.1 1ST-21ST FL.



DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."




EAST

- BLDG. 2 2ND 21ST. FL.
 C - BLDG. 2 1ST 21ST. FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."




M-BLDG. 2. 2ND-21ST FL.
 D-BLDG. 2. 1ST-21ST FL.

EAST

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."




EAST

N - BLDG. 2 1ST - 21ST FL.

E - BLDG. 2 1 - 21 FL.

DIMENSIONS APPROXIMATE

"Each [] shall consist of the area enclosed horizontally by the unexposed sides of [] drywalls of the exterior wall of the Building and by the unexposed sides of [] the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit."




EAST

DIMENSIONS APPROXIMATE

① F. BLDG. 2, 1ST. 21ST. F.L.

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall-ceiling where applicable. The doors and windows which open from the Unit shall be deemed



EAST



P-BLDG. 2 3RD 21ST. FL.
 G-BLDG. 2 1ST 21ST. FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of other Units, and enclosed vertically by the underside of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit.

DIMENSIONS APPROXIMATE




G-BLDG. 1 3RD-2
P & Y- REVERSED-BLDG. 1 1ST-21ST FL.

H & 2
REVERSED-BLDG. 2 1ST-21ST FL.

B&K-REVERSED-BLDG.2 1ST-21ST FL.


E-BLDG.1 1ST-21ST FL.

B-REVERSED-BLDG.1 1ST-21ST FL.



DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."



L-BLDG, 2 1ST. FL.

EAST

DIMENSIONS APPROXIMATE


"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete or those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

DIMENSIONS APPROXIMATE

C - BLDG. 2 2ND 21ST FL.
 C - BLDG. 2 1ST 21ST FL.

EAST




BLDG. 2

Each unit
the drywall.

consist of the area enclosed horizontally by the unexposed sides of the
the exposed face of concrete of those walls and partitions which separate the unit from the corridors
alls of the exterior wall of the Building and by the unexposed sides

1ST FL. DIMENSIONS APPROXIMATE

EAST





..Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete or those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

M-BLDG. 2. 2ND FL.
D-BLDG. 2. 1ST FL.

DIMENSIONS APPROXIMATE

EAST






EAST

DIMENSIONS APPROXIMATE

0-BLDG.2 1ST-2ND FL.

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the finished floor of the Unit, the finished ceiling of the Unit, and the unexposed sides of the unexposed




(P) BLDG. 2 1ST. & 2ND. FL.
 S - REVERSED - BLDG. 2 1ST & 2ND. FL.

EAST

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."



EAST

P. BLDG. 2 3RD - 21ST. FL.
 G - BLDG. 2 1ST - 21ST. FL.

DIMENSIONS APPROXIMATE


"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."


Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit.

DIMENSIONS APPROXIMATE

EAST

R-BLDG. 1 2ND - 21ST FL.
 A-REVERSED - BLDG. 2 2ND - 21ST FL.






EAST

P. BLDG. 2 1ST & 2ND FL.
 S- REVERSED - BLDG. 2 1ST & 2ND FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."




EAST

T-BLDG. 2 1ST- 2ND FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the concrete ceiling. The doors and windows which open from the Unit shall be deemed to be part of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the concrete ceiling."




EAST

DIMENSIONS APPROXIMATE

V BLDG.2 1ST-21ST. FL.

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

871 APPROX.




2-BLDG. 2 1ST- 21ST. FL.

EAST

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."



Z-2 BLDG.2 1ST-21ST.FL.


EAST

DIMENSIONS APPROXIMATE

Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

DIMENSIONS APPROXIMATE



G-BLDG. 1 3RD-21ST FL.
P & Y-REVERSED-BLDG. 1 1ST-21ST FL.

R-BLDG. 2 3RD-21ST FL.
H & Z4-REVERSED-BLDG. 2 1ST-21ST FL.

1/6/03