



WEST



KEY-PLAN BLDG. 1

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed faces of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

1320 Ryt





(C) BLDG. 1 1ST-21ST FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

570 SA



F - BLDG. 1 1ST & 2ND FL.

(H) REVERSED - BLDG. 1 1ST & 2ND FL.


DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

740 SQ. FT.

B&K-REVERSED-BLDG.2 1ST-21ST FL.


E BLDG. 1 1ST-21ST FL.
B-REVERSED-BLDG. 1 1ST-21ST FL



DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."


570 SA



CLOSET "H"

1ST FL.

2ND FL




(F) - BLDG. 1 1ST & 2ND FL.
 H- REVERSED - BLDG. 1 1ST & 2ND FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

829 SF



(F) BLDG. 1 3RD 21ST FL.
O & X-REVERSED-BLDG. 1 1ST-21ST FL.
 DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

B&K-REVERSED-BLDG.2 1ST-21ST FL.


E-BLDG.1 1ST-21ST FL.

(B) REVERSED-BLDG.1 1ST-21ST FL.

740 SF



APT "K" BLDG 2
"B" 2




DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

I-REVERSED - BLDG. 2 1ST- 21ST FL.

A-REVERSED- BLDG. 1 1ST- 21ST FL.
H- BLDG. 1 3RD- 21ST FL.

BLDG. 2
*CL. 5, 6, 11, 12, 17, 18TH FL.
W.I. CL. 3RD FL. 4'-6" DEEP





DIMENSIONS APPROXIMATE

*Each unit shall consist of the area enclosed horizontally by the unexposed sides of the exterior wall of the Building and by the unexposed sides of the drywall, the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side...

R-BLDG.2 3RD-21ST FL.
 H&Z-4-REVERSED-BLDG.2 1ST-21ST FL.

(G) BLDG. 1 3RD-21ST FL.
 P & Y-REVERSED-BLDG. 1 1ST-21ST FL.


4/50 SF



DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

65057




L

BLDG. 1 1ST-21ST FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."




M-BLDG. 1 1ST-21ST FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

829 SF





Ⓞ & X - REVERSED - BLDG. 1 3RD - 21ST FL. DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

R-BLDG.2 3RD-21ST FL.
 H&Z-4-REVERSED-BLDG.2 1ST-21ST FL.

G-BLDG.1 3RD-21ST FL.
 (P)&Y-REVERSED-BLDG.1 1ST-21ST FL.


4/50 SF



DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

725




R-BLDG. 1 1ST. FL.
A-BLDG. 2 1ST. FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls of the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

1,000 SQ. FT.




EAST

R BLDG. 1 2ND - 21ST FL.
A REVERSED - BLDG. 2 2ND - 21ST FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

700 S.F.




W - REVERSED - BLDG. 1 1ST 21ST FL. **S**-BLDG. 1 1ST 21ST FL.

DIMENSIONS APPROXIMATE


"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

850 SF



T BLDG. 1 1ST-21ST FL. DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."




U-BLDG. 1 1ST-21ST FL.

DIMENSIONS APPROXIMATE

650 ST
15 059

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."




1100 SF

V-BLDG. 1 1st-21st FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."


829 SF



F-BLDG. 1 3RD-21ST FL.
 O & X REVERSED-BLDG. 1 1ST-21ST FL. DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

835 84




K - BLDG. 1 1ST-2ND FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

700 S.F.




W - REVERSED - BLDG. 1 1ST 21ST FL.
 S - BLDG. 1 1ST 21ST FL.

DIMENSIONS APPROXIMATE

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

WEST



KEY-PLAN BLDG. 1

"Each unit shall consist of the area enclosed horizontally by the unexposed sides of the drywalls of the exterior wall of the Building and by the unexposed sides of the drywalls or the exposed face of concrete of those walls and partitions which separate the Unit from the corridors, stairs, mechanical equipment spaces and other Units, and enclosed vertically by the underside of the Unit's finished flooring and the exposed painted face of the concrete ceiling or the unexposed side of the Unit's drywall ceiling where applicable. The doors and windows which open from the Unit shall be deemed part of the Unit."

